

PEDIATRICS




PEDIATRICS

Ureteral Stents and Sets	13.1
Pyeloplasty Catheters	13.2
RENOVISION Nephrostomy	13.3
SUPRAVISION PUR Sets	13.4
VISIOCATH Balloon Catheters, silicone	13.5

VISIOSTAR STANDARD Double-J Ureteral Stent Set

DESCRIPTION



Ureteral Stent

- ◆ Polyurethane
- ◆ Drainage openings in pigtails and shaft
- ◆ Open or closed tip
- ◆ Markings for exact positioning
- ◆ Radiopaque

Pusher

- ◆ Length: 40 cm

Guide wire

- ◆ PTFE coating

Clip

- ◆ In sets with closed tip

URETERAL STENTS

VISIOSTAR STANDARD Double-J Ureteral Stent Set

Open tip							
Order number with guide wire	Order number without guide wire	Size (CH/FR)	Length (cm)	Wire (inch)	Wire length (cm)	Wire tip	Wire stiffness
ST-190308	ST-197308	3	8	0.018"	150	straight	standard
ST-190310	ST-197310	3	10	0.018"	150	straight	standard
ST-190312	ST-197312	3	12	0.018"	150	straight	standard
ST-190315	ST-197315	3	15	0.018"	150	straight	standard
ST-190318	ST-197318	3	18	0.018"	150	straight	standard
ST-190320	ST-197320	3	20	0.018"	150	straight	standard
ST-190408	ST-197408	4	8	0.025"	150	straight	standard
ST-190410	ST-197410	4	10	0.025"	150	straight	standard
ST-190412	ST-197412	4	12	0.025"	150	straight	standard
ST-190415	ST-197415	4	15	0.025"	150	straight	standard
ST-190418	ST-197418	4	18	0.025"	150	straight	standard
ST-190420	ST-197420	4	20	0.025"	150	straight	standard
ST-194708	ST-1974708	4.7	8	0.028"	150	straight	standard
ST-194710	ST-1974710	4.7	10	0.028"	150	straight	standard
ST-194712	ST-1974712	4.7	12	0.028"	150	straight	standard
ST-194715	ST-1974715	4.7	15	0.028"	150	straight	standard
ST-194718	ST-1974718	4.7	18	0.028"	150	straight	standard
ST-194720	ST-1974720	4.7	20	0.028"	150	straight	standard

Closed tip							
Order number with guide wire	Order number without guide wire	Size (CH/FR)	Length (cm)	Wire (inch)	Wire length (cm)	Wire tip	Wire stiffness
ST-180308		3	8	0.018"	150	straight	standard
ST-180310		3	10	0.018"	150	straight	standard
ST-180312		3	12	0.018"	150	straight	standard
ST-180315		3	15	0.018"	150	straight	standard
ST-180318		3	18	0.018"	150	straight	standard
ST-180320		3	20	0.018"	150	straight	standard
ST-180408		4	8	0.025"	150	straight	standard
ST-180410		4	10	0.025"	150	straight	standard
ST-180412		4	12	0.025"	150	straight	standard
ST-180415		4	15	0.025"	150	straight	standard
ST-180418		4	18	0.025"	150	straight	standard
ST-180420		4	20	0.025"	150	straight	standard
ST-184708	ST-1954708	4.7	8	0.028"	150	straight	standard
ST-184710	ST-1954710	4.7	10	0.028"	150	straight	standard
ST-184712	ST-1954712	4.7	12	0.028"	150	straight	standard
ST-184715	ST-1954715	4.7	15	0.028"	150	straight	standard
ST-184718	ST-1954718	4.7	18	0.028"	150	straight	standard
ST-184720	ST-1954720	4.7	20	0.028"	150	straight	standard